

Some 8,000 feet above sea level a peregrine falcon cruises from its perch atop the high plateau of Zion National Park. A flock of band-tailed pigeons note its approach and bolt on noisy wings into a stand of ponderosa pines. The falcon careens over the edge of its looming sandstone world and drops roughly 2,000 feet along a sheer rock wall; white-throated swifts scatter to give it space. At the base of the cliffs the raptor's flight becomes more horizontal. From the pygmy forest of pinyon and juniper, pinyon jays squawk their disapproval, and further down, along the Virgin River, a black-headed grosbeak eyes the peregrine from the cover of a big cottonwood. Soon, the falcon's shadow is streaking across searing desert terrain, where a roadrunner abandons its pursuit of lizards to avoid becoming prey itself.

Amazingly, a peregrine falcon can be within a talon's grasp of each of Zion's major habitats during its short flight.

In Zion National Park, a diversity of environments is compressed into a relatively small space. While birdwatchers lack the peregrine falcon's speed of 100 mile per hour, you can still visit Zion's different habitats within a day.

Experience the varied landscapes of Zion to enjoy their stunning beauty and with the many bird species that occupy them.

This checklist contains 295 bird species.

Habitats

- D Desert sagebrush and blackbrush areas, including grassy canyon bottomlands like Huber Wash, Coalpits Wash, parts of Chinle Trail, and fields around Springdale.
- R Riparian woodlands along the Virgin River and its tributaries.
- P Pinyon-juniper woodlands, including the sloping sides of Zion Canyon, possibly with interspersed scrub oak thickets.
- E Evergreen woodlands—including fir, ponderosa pine, aspen, and associated vegetation—plus mountain meadows, side canyons, and canyon walls; such as the upper parts of the West Rim Trail, Potato Hollow, Hidden Canyon, and much of the Kolob Canyons area.
- W On or near water areas, including the Virgin River and tributaries, Kolob and Blue Springs Reservoirs, and Springdale Ponds.
- A Birds may be seen in almost any habitat type.

Abundance

- c Common, seen most days in correct season and habitat.
- u Uncommon, seen in low numbers in correct season and habitat
- r Rare, no more than a few sightings per year.
- s Sporadic, may be numerous in some years and entirely absent in other years.
- x Accidental, seen no more than a few times or reported but not well documented.
- Species not known to occur in this season or data not available.

* breeds in Zion

Conservation Status

- LC Least Concern
- VU Vulnerable
- NT Nearly Threatened
- CR Critically Endangered
- EX Exotic Introduced

Swans, Geese & Ducks

	Status	Habitat	Spring	Summer	Fall	Winter
<input type="checkbox"/> snow goose	LC	W	r	-	r	-
<input type="checkbox"/> canada goose	LC	W	u	c	u	u
<input type="checkbox"/> tundra swan	LC	W	-	-	-	x
<input type="checkbox"/> wood duck	LC	W	r	-	r	r
<input type="checkbox"/> blue-winged teal	LC	W	r	-	r	-
<input type="checkbox"/> cinnamon teal	LC	W	c	u	u	r
<input type="checkbox"/> northern shoveler	LC	W	u	-	u	r
<input type="checkbox"/> gadwall	LC	W	u	-	u	u
<input type="checkbox"/> american wigeon	LC	W	r	-	r	u
<input type="checkbox"/> mallard*	LC	W	c	c	c	c
<input type="checkbox"/> northern pintail	LC	W	u	-	u	u
<input type="checkbox"/> green-winged teal	LC	W	u	r	c	u
<input type="checkbox"/> canvasback	LC	W	u	-	u	u
<input type="checkbox"/> redhead	LC	W	u	-	u	r
<input type="checkbox"/> ring-necked duck	LC	W	c	-	c	u
<input type="checkbox"/> lesser scaup	LC	W	u	-	u	u
<input type="checkbox"/> surf scoter	LC	W	-	-	x	x
<input type="checkbox"/> white-winged scoted	LC	W	-	-	x	-
<input type="checkbox"/> long-tailed duck	VU	W	-	-	-	x
<input type="checkbox"/> bufflehead	LC	W	u	-	u	u
<input type="checkbox"/> common goldeneye	LC	W	u	-	u	u
<input type="checkbox"/> hooded merganser	LC	W	u	-	u	u
<input type="checkbox"/> common merganser*	LC	W	u	u	u	u
<input type="checkbox"/> red-breasted merganser	LC	W	r	-	r	r
<input type="checkbox"/> ruddy duck	LC	W	u	r	u	u

Pheasants, Grouse, Turkey & Quail

<input type="checkbox"/> Gambel's quail*	LC	DR	u	u	u	u
<input type="checkbox"/> wild turkey*	LC	ER	c	c	c	c
<input type="checkbox"/> dusky grouse*	LC	E	r	r	u	r
<input type="checkbox"/> ring-necked pheasant	EX	P	r	r	r	r
<input type="checkbox"/> chukar	EX	P	r	r	r	r

Grebes

<input type="checkbox"/> pied-billed grebe	LC	W	u	u	c	u
<input type="checkbox"/> horned grebe	VU	W	-	-	r	r
<input type="checkbox"/> eared grebe	LC	W	c	c	c	u
<input type="checkbox"/> western grebe	LC	W	u	r	u	r
<input type="checkbox"/> Clark's grebe	LC	W	r	r	r	-

Roadrunners & Cuckoos

<input type="checkbox"/> greater roadrunner*	LC	D	u	u	u	u
<input type="checkbox"/> yellow-billed cuckoo	LC	R	-	r	r	-

	Status	Habitat	Spring	Summer	Fall	Winter
Pigeons & Doves						
<input type="checkbox"/> rock pigeon	LC	DR	r	r	r	r
<input type="checkbox"/> band-tailed pigeon*	LC	R	r	r	r	r
<input type="checkbox"/> Eurasian collared-dove*	EX	DRW	c	c	c	c
<input type="checkbox"/> Inca dove	LC	R	x	x	x	x
<input type="checkbox"/> white-winged dove	LC	R	x	-	-	x
<input type="checkbox"/> mourning dove*	LC	A	c	c	u	u
Goatsuckers						
<input type="checkbox"/> lesser nighthawk	LC	D	r	r	r	-
<input type="checkbox"/> common nighthawk	LC	A	u	u	u	-
<input type="checkbox"/> common poorwill*	LC	DEP	u	u	u	-
Swifts						
<input type="checkbox"/> black swift	VU	R	r	-	r	-
<input type="checkbox"/> Vaux's swift	LC	R	x	-	x	-
<input type="checkbox"/> white-throated swift	LC	A	c	c	c	r
Hummingbirds						
<input type="checkbox"/> Rivoli's hummingbird	LC	R	x	x	-	-
<input type="checkbox"/> black-chinned hummingbird*	LC	A	c	c	c	r
<input type="checkbox"/> Anna's hummingbird*	LC	DR	u	u	u	r
<input type="checkbox"/> Costa's hummingbird*	LC	D	r	r	r	-
<input type="checkbox"/> calliope hummingbird	LC	ER	r	-	r	-
<input type="checkbox"/> rufous hummingbird	NT	ER	-	u	c	-
<input type="checkbox"/> broad-tailed hummingbird*	LC	E	c	c	u	-
<input type="checkbox"/> broad-billed hummingbird	LC	R	-	-	x	-
Rails & Cranes						
<input type="checkbox"/> Virginia rail*	LC	W	r	r	r	r
<input type="checkbox"/> sora*	LC	W	r	r	r	r
<input type="checkbox"/> American coot*	LC	W	u	u	c	c
<input type="checkbox"/> sandhill crane	LC	W	-	-	x	x
Gulls & Terns						
<input type="checkbox"/> Bonaparte's gull	LC	W	x	-	x	-
<input type="checkbox"/> Franklin's gull	LC	W	x	-	-	-
<input type="checkbox"/> ring-billed gull	LC	W	r	x	r	r
<input type="checkbox"/> herring gull	LC	W	x	-	x	x
<input type="checkbox"/> California gull	LC	W	r	r	r	r
<input type="checkbox"/> caspian tern	LC	W	r	x	x	-
<input type="checkbox"/> black tern	LC	W	-	x	-	-
<input type="checkbox"/> Forster's tern	LC	W	r	x	x	-
Loons, Pelicans & Cormorants						
<input type="checkbox"/> common loon	LC	W	u	r	u	x
<input type="checkbox"/> double-crested cormorant	LC	W	r	x	x	-
<input type="checkbox"/> American white pelican	LC	W	r	-	r	x

	Status	Habitat	Spring	Summer	Fall	Winter
Shorebirds						
<input type="checkbox"/> black-necked stilt	LC	W	u	r	x	-
<input type="checkbox"/> American avocet	LC	W	r	x	x	-
<input type="checkbox"/> black-bellied plover	LC	W	x	-	-	x
<input type="checkbox"/> killdeer	LC	DW	u	u	r	r
<input type="checkbox"/> semipalmated plover	LC	W	r	x	x	-
<input type="checkbox"/> long-billed curlew	LC	W	x	x	-	-
<input type="checkbox"/> marbled godwit	LC	W	x	-	-	-
<input type="checkbox"/> long-billed dowitcher	LC	W	r	x	x	-
<input type="checkbox"/> Wilson's snipe	LC	RW	u	x	u	u
<input type="checkbox"/> Wilson's phalarope	LC	W	r	x	r	-
<input type="checkbox"/> spotted sandpiper*	LC	W	x	-	-	-
<input type="checkbox"/> solitary sandpiper	LC	W	r	-	r	-
<input type="checkbox"/> lesser yellowlegs	LC	W	r	-	x	-
<input type="checkbox"/> willet	LC	W	r	-	-	-
<input type="checkbox"/> greater yellowlegs	LC	W	u	-	r	-
<input type="checkbox"/> sanderling	LC	W	x	-	-	-
<input type="checkbox"/> Baird's sandpiper	LC	W	x	-	x	-
<input type="checkbox"/> least sandpiper	LC	W	u	-	u	-
<input type="checkbox"/> pectoral sandpiper	LC	W	x	-	x	-
<input type="checkbox"/> western sandpiper	LC	W	u	-	u	-
Hérons, Ibises & Storks						
<input type="checkbox"/> American bittern	LC	W	x	-	x	-
<input type="checkbox"/> black-crowned night heron	LC	W	r	x	r	x
<input type="checkbox"/> snowy egret	LC	W	r	r	r	-
<input type="checkbox"/> green heron	LC	W	x	-	x	x
<input type="checkbox"/> western cattle egret	LC	W	x	-	x	-
<input type="checkbox"/> great egret	LC	W	r	x	r	-
<input type="checkbox"/> great blue heron*	LC	W	u	u	u	u
<input type="checkbox"/> white-faced ibis	LC	W	u	x	u	-
<input type="checkbox"/> wood stork	LC	W	-	x	-	-
Owls						
<input type="checkbox"/> flammulated owl*	LC	EP	r	r	r	-
<input type="checkbox"/> western screech-owl*	LC	ER	u	u	u	u
<input type="checkbox"/> great horned owl*	LC	A	u	u	u	u
<input type="checkbox"/> northern pygmy-owl*	LC	EPR	u	u	u	u
<input type="checkbox"/> Mexican spotted owl*	NT	E	c	c	c	c
<input type="checkbox"/> long-eared owl	LC	DP	x	x	-	-
<input type="checkbox"/> short-eared owl	LC	P	-	x	-	-
<input type="checkbox"/> northern saw-whet owl	LC	ER	s	s	s	s
<input type="checkbox"/> barn owl	LC	PR	r	r	r	r
Kingfishers						
<input type="checkbox"/> belted kingfisher*	LC	RW	u	u	u	u

	Status	Habitat	Spring	Summer	Fall	Winter
Ospreys, Eagles, Hawks, & Falcons						
<input type="checkbox"/> osprey	LC	W	u	u	u	x
<input type="checkbox"/> golden eagle*	LC	DEP	u	u	u	u
<input type="checkbox"/> nothern harrier	LC	D	u	r	u	u
<input type="checkbox"/> sharp-shinned hawk*	LC	EPR	u	u	u	u
<input type="checkbox"/> Cooper's hawk*	LC	EPR	c	c	c	c
<input type="checkbox"/> American goshawk*	LC	E	r	r	r	r
<input type="checkbox"/> bald eagle	LC	W	u	u	u	u
<input type="checkbox"/> common black-hawk	LC	R	r	r	r	-
<input type="checkbox"/> red-shouldered hawk	LC	R	x	x	-	r
<input type="checkbox"/> broad-winged hawk	LC	R	x	-	x	-
<input type="checkbox"/> Swainson's hawk	LC	DE	r	r	r	-
<input type="checkbox"/> zone-tailed hawk	LC	R	r	r	r	-
<input type="checkbox"/> red-tailed hawk*	LC	A	c	c	c	c
<input type="checkbox"/> rough-legged hawk	LC	D	r	-	r	u
<input type="checkbox"/> ferruginous hawk	LC	DP	r	x	r	u
<input type="checkbox"/> American kestrel*	LC	DER	u	u	u	u
<input type="checkbox"/> merlin	LC	PR	r	-	r	r
<input type="checkbox"/> peregrine falcon*	LC	A	c	c	c	r
<input type="checkbox"/> prairie falcon	LC	DE	r	r	r	r
Vultures						
<input type="checkbox"/> California condor*	CR	A	c	c	c	c
<input type="checkbox"/> turkey vulture*	LC	A	c	c	c	x
Flycatchers & Shrikes						
<input type="checkbox"/> olive-sided flycatcher*	NT	E	u	u	r	-
<input type="checkbox"/> western wood-peewee*	LC	ER	u	c	u	-
<input type="checkbox"/> willow flycatcher*	LC	R	r	r	r	-
<input type="checkbox"/> Hammond's flycatcher	LC	ER	r	-	r	-
<input type="checkbox"/> gray flycatcher*	LC	P	r	r	r	-
<input type="checkbox"/> dusky flycatcher*	LC	EPR	u	u	r	-
<input type="checkbox"/> western flycatcher*	LC	ER	u	u	r	-
<input type="checkbox"/> black phoebe*	LC	R	c	c	c	u
<input type="checkbox"/> eastern phoebe	LC	R	x	-	x	x
<input type="checkbox"/> Say's phoebe*	LC	DR	c	c	c	u
<input type="checkbox"/> vermilion flycatcher	LC	R	x	x	-	-
<input type="checkbox"/> ash-throated flycatcher*	LC	EPR	u	c	r	-
<input type="checkbox"/> brown-crested flycatcher	LC	EPR	r	r	r	-
<input type="checkbox"/> Cassin's kingbird*	LC	PR	r	r	r	-
<input type="checkbox"/> western kingbird*	LC	DR	c	c	u	-
<input type="checkbox"/> eastern kingbird	LC	PR	x	-	x	-
<input type="checkbox"/> loggerhead shrike	NT	DE	r	r	r	r
<input type="checkbox"/> northern shrike	LC	D	-	-	-	r

	Status	Habitat	Spring	Summer	Fall	Winter
Woodpeckers						
<input type="checkbox"/> Williamson's sapsucker	LC	EP	r	-	r	r
<input type="checkbox"/> red-breasted sapsucker	LC	E	-	-	-	r
<input type="checkbox"/> red-naped sapsucker*	LC	EPR	c	c	c	s
<input type="checkbox"/> Lewis's woodpecker	LC	E	s	s	s	s
<input type="checkbox"/> acorn woodpecker	LC	E	r	r	x	x
<input type="checkbox"/> American three-toed woodpecker	LC	P	-	-	-	x
<input type="checkbox"/> downy woodpecker	LC	EPR	c	c	c	c
<input type="checkbox"/> ladder-backed woodpecker	LC	DR	r	r	r	r
<input type="checkbox"/> hairy woodpecker*	LC	EPR	c	c	c	c
<input type="checkbox"/> northern flicker*	LC	EPR	c	c	c	c

	Status	Habitat	Spring	Summer	Fall	Winter
Vireos						
<input type="checkbox"/> Bell's vireo*	LC	R	r	r	-	-
<input type="checkbox"/> gray vireo*	LC	P	u	u	-	x
<input type="checkbox"/> Cassin's vireo	LC		r	-	r	-
<input type="checkbox"/> plumbeous vireo*	LC	ER	c	c	c	-
<input type="checkbox"/> warbling vireo*	LC	ER	c	c	u	-

	Status	Habitat	Spring	Summer	Fall	Winter
Jays & Crows						
<input type="checkbox"/> Canada jay	LC	P	-	-	-	x
<input type="checkbox"/> pinyon jay*	VU	P	u	u	u	u
<input type="checkbox"/> Steller's jay*	LC	EPR	c	c	c	c
<input type="checkbox"/> Woodhouse's scrub-jay*	LC	PR	c	c	c	c
<input type="checkbox"/> black-billed magpie	LC	DP	r	r	r	r
<input type="checkbox"/> Clark's nutcracker	LC	E	r	r	r	r
<input type="checkbox"/> American crow	LC	PR	r	r	r	r
<input type="checkbox"/> common raven*	LC	A	c	c	c	c

	Status	Habitat	Spring	Summer	Fall	Winter
Chickadees, Titmice & Bushtits						
<input type="checkbox"/> black-capped chickadee*	LC	EPR	c	c	c	c
<input type="checkbox"/> mountain chickadee*	LC	EPR	c	c	c	c
<input type="checkbox"/> juniper titmouse*	LC	P	c	c	c	c
<input type="checkbox"/> verdin	LC	D	r	r	r	r
<input type="checkbox"/> bushtit*	LC	DEP	c	c	c	c

	Status	Habitat	Spring	Summer	Fall	Winter
Larks						
<input type="checkbox"/> horned lark	LC	D	r	u	r	u

	Status	Habitat	Spring	Summer	Fall	Winter
Swallows						
<input type="checkbox"/> bank swallow	LC	RW	r	u	r	-
<input type="checkbox"/> tree swallow*	LC	EW	c	c	r	-
<input type="checkbox"/> violet-green swallow*	LC	A	c	c	c	-
<input type="checkbox"/> northern rough-winged swallow*	LC	RW	u	u	u	-
<input type="checkbox"/> barn swallow	LC	DW	r	r	r	-
<input type="checkbox"/> cliff swallow*	LC	DW	u	u	u	-

	Status	Habitat	Spring	Summer	Fall	Winter
Kinglets & Gnatcatchers						
<input type="checkbox"/> ruby-crowned kinglet	LC	EP	c	r	c	c
<input type="checkbox"/> golden-crowned kinglet	LC	EP	u	r	r	u
<input type="checkbox"/> blue-gray gnatcatcher*	LC	DP	c	c	u	r

	Status	Habitat	Spring	Summer	Fall	Winter
Nuthatches & Creepers						
<input type="checkbox"/> white-breasted nuthatch*	LC	EP	u	u	u	u
<input type="checkbox"/> pygmy nuthatch*	LC	E	u	u	u	u
<input type="checkbox"/> red-breasted nuthatch*	LC	E	r	r	u	r
<input type="checkbox"/> brown creeper*	LC	DEP	u	r	r	u

	Status	Habitat	Spring	Summer	Fall	Winter
Wrens & Dippers						
<input type="checkbox"/> rock wren*	LC	DP	c	c	c	u
<input type="checkbox"/> canyon wren*	LC	RP	c	c	c	c
<input type="checkbox"/> house wren*	LC	R	c	c	u	r
<input type="checkbox"/> pacific wren*	LC	R	r	r	r	u
<input type="checkbox"/> marsh wren*	LC	RW	r	-	u	r
<input type="checkbox"/> Bewick's wren*	LC	DP	c	c	c	u
<input type="checkbox"/> cactus wren	LC	D	r	r	r	r
<input type="checkbox"/> American dipper*	LC	W	c	c	c	c

	Status	Habitat	Spring	Summer	Fall	Winter
Starlings						
<input type="checkbox"/> European starling*	LC	DR	u	u	u	u

	Status	Habitat	Spring	Summer	Fall	Winter
Mockingbirds & Thrashers						
<input type="checkbox"/> gray catbird	LC	R	x	r	x	x
<input type="checkbox"/> brown thrasher	LC	R	x	-	-	x
<input type="checkbox"/> crissal thrasher	LC	DR	x	-	r	u
<input type="checkbox"/> sage thrasher	LC	D	r	-	r	-
<input type="checkbox"/> northern mockingbird*	LC	DP	u	u	u	r

	Status	Habitat	Spring	Summer	Fall	Winter
Thrushes						
<input type="checkbox"/> eastern bluebird	LC	DEP	x	-	-	x
<input type="checkbox"/> western bluebird*	LC	DER	c	c	c	u
<input type="checkbox"/> mountain bluebird*	LC	DE	u	u	u	u
<input type="checkbox"/> Townsend's solitaire*	LC	EP	c	c	c	c
<input type="checkbox"/> varied thrush	LC	R	x	-	-	-
<input type="checkbox"/> Swainson's thrush	LC	E	r	-	r	x
<input type="checkbox"/> hermit thrush*	LC	ER	u	u	u	u
<input type="checkbox"/> American robin*	LC	A	c	c	c	c
<input type="checkbox"/> rufous-backed robin	LC	R	-	-	-	x

	Status	Habitat	Spring	Summer	Fall	Winter
Pipits, Waxwings & Phainopepla						
<input type="checkbox"/> bohemian waxwing	LC	R	-	-	-	s
<input type="checkbox"/> cedar waxwing	LC	R	u	r	u	r
<input type="checkbox"/> phainopepla	LC	DPR	r	u	r	x
<input type="checkbox"/> American pipit	LC	D	r	-	r	u

	Status	Habitat	Spring	Summer	Fall	Winter
Grosbeaks & Buntings						
<input type="checkbox"/> evening grosbeak	VU	ER	r	r	r	r
<input type="checkbox"/> pine grosbeak	LC	E	x	-	-	x
<input type="checkbox"/> chestnut-collared longspur	VU	D	-	-	x	-
<input type="checkbox"/> rose-breasted grosbeak	LC	R	r	-	-	-
<input type="checkbox"/> black-headed grosbeak*	LC	EPR	c	c	u	-
<input type="checkbox"/> blue grosbeak*	LC	PR	u	u	u	-
<input type="checkbox"/> lazuli bunting*	LC	PR	c	c	u	-
<input type="checkbox"/> indigo bunting*	LC	R	r	r	-	-
<input type="checkbox"/> snow bunting*	LC	P	-	-	-	x

	Status	Habitat	Spring	Summer	Fall	Winter
Finches & Longspurs						
<input type="checkbox"/> black rosy-finch	LC	DP	-	-	-	x
<input type="checkbox"/> house finch*	LC	DPR	c	c	c	c
<input type="checkbox"/> Cassin's finch*	LC	DE	u	u	u	r
<input type="checkbox"/> red crossbill*	LC	E	r	r	r	x
<input type="checkbox"/> pine siskin*	LC	EPR	u	u	c	r
<input type="checkbox"/> lesser goldfinch*	LC	A	c	c	c	u
<input type="checkbox"/> American goldfinch*	LC	DR	u	-	u	u
<input type="checkbox"/> gray-crowned rosy-finch	LC	DP	-	-	-	x

	Status	Habitat	Spring	Summer	Fall	Winter
Towhees, Sparrows & Juncos						
<input type="checkbox"/> Abert's towhee*	LC	R	r	r	r	r
<input type="checkbox"/> American tree sparrow	LC	DP	x	-	x	-
<input type="checkbox"/> black-chinned sparrow*	LC	DP	r	r	r	-
<input type="checkbox"/> black-throated sparrow*	LC	D	u	u	r	r
<input type="checkbox"/> Brewer's sparrow	LC	DE	r	r	r	r
<input type="checkbox"/> chipping sparrow*	LC	DEP	c	c	c	r
<input type="checkbox"/> dark-eyed junco*	LC	A	c	c	c	c
<input type="checkbox"/> fox sparrow	LC	DR	x	-	x	r
<input type="checkbox"/> golden-crowned sparrow	LC	DR	r	-	r	r
<input type="checkbox"/> green-tailed towhee*	LC	DER	u	u	u	u
<input type="checkbox"/> Harris's sparrow	NT	DR	-	-	-	x
<input type="checkbox"/> house sparrow	LC	DR	c	c	c	c
<input type="checkbox"/> lark sparrow*	LC	DR	u	u	r	x
<input type="checkbox"/> Lincoln's sparrow*	LC	DER	u	r	u	u
<input type="checkbox"/> rufous-crowned sparrow*	LC	DP	u	r	r	r
<input type="checkbox"/> sagebrush sparrow	LC	DP	r	r	r	r
<input type="checkbox"/> savannah sparrow	LC	D	u	r	u	r
<input type="checkbox"/> song sparrow*	LC	RW	c	c	c	c
<input type="checkbox"/> spotted towhee*	LC	EPR	c	c	c	c
<input type="checkbox"/> swamp sparrow	LC	R	x	-	-	-
<input type="checkbox"/> vesper sparrow*	LC	DE	u	c	c	x
<input type="checkbox"/> white-crowned sparrow	LC	A	c	u	c	c
<input type="checkbox"/> white-throated sparrow	LC	DR	r	-	r	r

Blackbirds, Meadowlarks & Orioles

<input type="checkbox"/> red-winged blackbird*	LC	RW	u	u	u	r
<input type="checkbox"/> brown-headed cowbird*	LC	A	c	c	r	-
<input type="checkbox"/> rusty blackbird	VU	W	-	x	-	-
<input type="checkbox"/> Brewer's blackbird*	LC	ER	u	u	u	r
<input type="checkbox"/> great-tailed grackle	LC	DR	u	u	r	-
<input type="checkbox"/> western meadowlark*	LC	D	u	r	r	u
<input type="checkbox"/> yellow-headed blackbird	LC	RW	r	r	r	-
<input type="checkbox"/> hooded oriole	LC	R	r	r	-	-
<input type="checkbox"/> Bullock's oriole*	LC	R	c	c	r	-
<input type="checkbox"/> Scott's oriole	LC	DP	r	r	-	-
<input type="checkbox"/> bobolink	LC	RW	x	-	-	-

Warblers & Chats

<input type="checkbox"/> American redstart	LC	R	x	x	x	-
<input type="checkbox"/> black-and-white warbler	LC	R	x	x	-	-
<input type="checkbox"/> black-throated blue warbler			-	-	x	-
<input type="checkbox"/> black-throated gray warbler*	LC	P	c	c	u	-
<input type="checkbox"/> common yellowthroat*	LC	R	r	r	r	-
<input type="checkbox"/> Grace's warbler*	LC	E	c	c	r	x
<input type="checkbox"/> hermit warbler	LC	R	-	-	r	-
<input type="checkbox"/> hooded warbler	LC	E	-	-	x	-
<input type="checkbox"/> Lucy's warbler*	LC	R	c	c	r	r
<input type="checkbox"/> MacGillivray's warbler	LC	DRE	u	u	r	-
<input type="checkbox"/> Nashville warbler	LC	R	r	-	r	-
<input type="checkbox"/> northern waterthrush	LC	R	x	-	x	-
<input type="checkbox"/> orange-crowned warbler*	LC	ER	u	u	r	r
<input type="checkbox"/> ovenbird	LC	R	x	-	-	-
<input type="checkbox"/> painted redstart*	LC	PR	u	r	-	-
<input type="checkbox"/> Townsend's warbler	LC	E	r	-	r	x
<input type="checkbox"/> Virginia's warbler*	LC	EPR	c	c	u	-
<input type="checkbox"/> Wilson's warbler	LC	R	u	-	u	x
<input type="checkbox"/> yellow warbler*	LC	R	c	c	c	-
<input type="checkbox"/> yellow-rumped warbler*	LC	ER	c	c	c	u
<input type="checkbox"/> yellow-throated warbler			-	-	-	x
<input type="checkbox"/> yellow-breasted chat*	LC	R	u	r	r	-

Tanagers

<input type="checkbox"/> summer tanager*	LC	R	u	u	r	-
<input type="checkbox"/> western tanager*	LC	ER	c	c	c	-

Do you have an interesting bird sighting? Records are lacking for numerous species. Your observations of uncommon or rare species, or of any birds exhibiting unusual behavior, can provide the National Park Service and the birding community with valuable data. Natural History Observation Cards are available at visitor centers or entrance stations. Below is a checklist of the information needed as a reminder while you are in the field. Please be specific.

Observation Checklist

Species:

Date:

Time:

Weather:

Location:

Description, habitat, behavior, number:

Observer (name, address, phone number):



Bird Checklist

Western Tanager
NPS Photo